

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L17	158	(gap or space or opening) near8 ((pixel or image) adj sensor) same (substrate or wafer)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/06/23 16:17
2	BRS	L18	44	17 and ("cross talk" or interference or noise)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/06/23 16:26
3	BRS	L19	114	17 not 18	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/06/23 16:34
4	BRS	L20	2894	(gap or opening or space) with "pixel electrode"	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/06/23 16:37
5	BRS	L21	2620	20 and (substrate or wafer)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/06/23 16:37

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	848	(257/458) .CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
2	IS&R	L2	203	(257/444) .CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
3	IS&R	L3	645	(257/459) .CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
4	IS&R	L4	384	(257/656) .CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
5	IS&R	L5	408	(438/48) .CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
6	IS&R	L6	207	(438/325) .CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B